

**TABLE F.3.2.2–2.—Plant Species Observed During Wetland Delineation at Lawrence Livermore National Laboratory, Site 300**

Scientific Name	Common Name	Wetland Indicator Status
<i>Amaranthus albus</i>	White amaranth	FACU
<i>Artemisia californica</i>	California sagebrush	--
<i>Asclepias fascicularis</i>	Narrow-leaved milkweed	FAC
<i>Avena barbata</i>	Slender wild oat	--
<i>Avena fatua</i>	Wild oat	--
<i>B. diandrus</i>	Ripgut brome	--
<i>B. madritensis subsp. rubens</i>	Red brome	--
<i>Baccharis salicifolius</i>	Mulefat	FACW
<i>Bromus hordeaceus</i>	Soft chess	FACU
<i>Carduus pycnocephalus</i>	Italian thistle	--
<i>Conyza canadensis</i>	Horseweed	FAC
<i>Crypsis schoenoides</i>	Swamp timothy	OBL
<i>Cyperus eragrostis</i>	Umbrella sedge	FACW
<i>Deschampsia danthonioides</i>	Annual hairgrass	FACW
<i>Distichlis spicata</i>	Saltgrass	FACW
<i>Eleocharis macrostachya</i>	Creeping spikerush	OBL
<i>Epilobium cleistogamum</i>	Cleistogamous spike-primrose	OBL
<i>Gnaphalium palustre</i>	Marsh cudweed	FACW
<i>Gutierrezia californica</i>	California matchweed	--
<i>Heliotropium curassavicum</i>	Salt heliotrope	OBL
<i>Hordeum murinum subsp. leporinum</i>	Foxtail barley	NI
<i>Juncus balticus</i>	Baltic rush	OBL
<i>Juniperus californicus</i>	California juniper	--
<i>Lepidium latifolium</i>	Perennial peppercress	FACW
<i>Leymus triticoides</i>	Creeping wild rye	FAC
<i>Lupinus albifrons</i>	Bush lupine	--
<i>Marrubium vulgare</i>	Horehound	FAC
<i>Nassella cernua</i>	Nodding needlegrass	--
<i>Nassella pulchra</i>	Needlegrass	--
<i>Nasturtium officinale</i>	Watercress	OBL
<i>Nicotiana glauca</i>	Tree tobacco	FAC
<i>Plagiobothrys stipitatus</i>	Stipitate popcorn-flower	OBL
<i>Poa secunda</i>	One-sided bluegrass	--
<i>Polypogon monspeliensis</i>	Annual rabbit's-foot grass	FACW+
<i>Populus fremontii</i>	Fremont cottonwood	FACW
<i>Quercus douglasii</i>	Blue oak	--
<i>Quercus lobata</i>	Valley oak	FAC
<i>Rumex crispus</i>	Curly dock	FACW-
<i>Salix laevigata</i>	Red willow	FACW+
<i>Salvia nielliera</i>	Black sage	--
<i>Stachys albens</i>	White hedgenettle	OBL
<i>Toxicodendron diversilobum</i>	Poison oak	--
<i>Typha angustifolia</i>	Narrow-leaved cattail	OBL
<i>Typha latifolia</i>	Broad-leaved cattail	OBL
<i>Urtica dioica</i>	Hoary nettle	FACW
<i>Vulpia bromoides</i>	Foxtail fescue	FACW
<i>Vulpia myuros</i>	Rattail fescue	FACU
<i>Xanthium strumarium</i>	Common cocklebur	FAC+

Source: Jones and Stokes 2002c.

Wetland indicator status (USFWS 1988): OBL = obligate, 99% occurrence in wetlands; FACW = Faculative Wetland, 66-99% occurrence in wetlands; FAC = Faculative, 33-66% occurrence in wetlands; FACU = Faculative upland, 1-33% occurrence in wetlands; Positive sign (+) = a frequency toward higher end of the category (more frequently found in wetlands); Negative sign (-) = a frequency toward lower end of the category (less frequently found in wetlands); -- = no indicator status, assumed to be upland species.